

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

<b>Product Name</b>	<b>Euromix™ Patch Coarse</b>
<b>Product Code</b>	<b>PATCHC5, PATCHC15</b>
<b>Supplier Name</b>	<b>Euromix Pty Ltd</b> ABN 57 664 946 070
<b>Address</b>	31-33 Water Street, Strathfield South. NSW 2136
<b>Telephone</b>	02 9572 9061
<b>Email</b>	<a href="mailto:contact@euromix.com.au">contact@euromix.com.au</a>
<b>Synonym(s)</b>	Euromix Patch Coarse, Euromix Patch.
<b>Use(s)P</b>	Pre-mixed acrylic patching and rendering compound used over most substrates for interior and exterior use.

## 2. HAZARD IDENTIFICATION

This product is classified as hazardous according to Safe Work Australia criteria.

### Pictogram – Exclamation Mark

**Hazard Classification**      **Skin Sensitisation – Category 1**

**SIGNAL WORD**                      **WARNING**

### Hazard statements

H317                      May cause an allergic skin reaction.



### Prevention statements

P102                      Keep out of reach of children.  
P103                      Read label before use.  
P261                      Avoid breathing dust, fume, gas, mist, vapours or spray.  
P264                      Wash exposed skin thoroughly after handling.  
P280                      Wear eye protection/face protection.

### Response statements

P302+P352              IF ON SKIN, wash with plenty of soap and water.  
P333+P313              If skin irritation or rash occurs, get medical advice/attention.  
P321                      Specific treatment (see First Aid Measures on this MSDS)  
P363                      Wash contaminated clothing before reuse.

### Storage statements

P410+P402+P404      Protect from sunlight, store in a dry place. Store in a closed container.

### Disposal statements

P501                      Dispose of contents/container in accordance with local, regional, national and international regulations.

**Poisons schedule**              Not scheduled.

## 3. COMPOSITION/INFORMATION

<b>Chemical Entity</b>	<b>CAS No.</b>	<b>Proportion</b>
2-Methyl-2H-isothiazol-3-one (MIT)	2682-20-4	<0.01%
Ingredients determined not to be hazardous		<u>to 100%</u> 100%

## 4. FIRST AID MEASURES

<b>Eye Contact</b>	If in eyes, wash out immediately with water. In all cases of eye contamination, it is a sensible precaution to seek medical advice.
<b>Inhalation</b>	Remove victim from area of exposure - avoid becoming a casualty. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.
<b>Skin Contact</b>	If skin contact occurs, remove contaminated clothing and wash skin with running water. If irritation or reaction occurs, seek medical advice/assistance.
<b>Ingestion</b>	Rinse mouth with water. If swallowed, DO NOT induce vomiting, give a glass of water to drink. If vomiting occurs give further water. Seek medical assistance.

### Symptoms and effects that may arise if the product is mishandled and overexposure occurs are:

<b>Inhalation</b>	No adverse symptoms.
<b>Skin contact</b>	May cause an allergic skin reaction, redness, irritation.
<b>Eye contact</b>	May cause pain or irritation, watering, redness, swelling, blurred vision.
<b>Ingestion</b>	No adverse symptoms.

**First Aid Facilities** Emergency shower, eye wash station or eye wash kit.

**Notes to physician** Treat symptomatically.

**If poisoning occurs, contact a doctor or Poisons Information Centre: Phone (Australia) 131 126.**

## 5. FIRE FIGHTING

<b>Hazchem Code</b>	Not applicable.
<b>Specific Hazards</b>	Non-combustible material.
<b>Fire-fighting advice</b>	Non-combustible material. However, following evaporation of the water component of the material, the residual material can burn if ignited. On burning may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.
<b>Suitable Extinguishing Media</b>	Water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

## 6. ACCIDENTAL RELEASE MEASURES

<b>Spillage</b>	Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of sewers or waterways has occurred advise local emergency services.
-----------------	---

## 7. HANDLING AND STORAGE

**Storage** Store in cool place and out of direct sunlight. Store away from sources of heat and/or ignition. Keep containers closed when not in use - check regularly for leaks. Store away from incompatible materials described in section 10.

**Handling** Avoid eye contact and repeated or prolonged skin contact. Keep out of the reach of children. Avoid inhalation of vapour.

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking, and smoking in contaminated areas.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Exposure Limits</b>	No value assigned for this specific material by Safe Work Australia.
<b>Biological Limit Values</b>	As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have Biological Limit Allocated.
<b>Engineering Control</b>	Provide adequate ventilation. If using indoors, keep windows and doors open during use. Keep containers closed when not in use.
<b>PPE</b>	Coveralls, Safety Shoes, Safety Glasses, Gloves.  Wear coveralls, safety glasses and impervious gloves. Available information suggest that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Gloves should be routinely examined for wear and/or degradation. Use with adequate ventilation. If inhalation risk exists, wear organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Avoid breathing dust when sanding. Wet sand or use a dust mask.
<b>Hygiene measures</b>	Keep away from food and drink. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or reuse.



### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Viscous liquid
<b>Colour:</b>	Coloured
<b>Odour:</b>	Bland
<b>Solubility:</b>	Miscible with water
<b>Specific Gravity:</b>	1.0-1.7 @20°C
<b>Relative Vapour Density (air=1):</b>	Not Available
<b>Vapour Pressure (20 °C):</b>	Not Available
<b>Flash Point (°C):</b>	Not Applicable
<b>Flammability Limits (%):</b>	Not Applicable
<b>Autoignition Temperature (°C):</b>	Not Applicable
<b>% Volatile by Volume:</b>	Not Available
<b>Solubility in water (g/L):</b>	Miscible
<b>Melting Point/Range (°C):</b>	Not Available
<b>Boiling Point/Range (°C):</b>	100 (water)
<b>Decomposition Point (°C):</b>	Not Available
<b>pH:</b>	8-10
<b>Viscosity:</b>	Not Available
<b>Evaporation Rate:</b>	Not Available

### 10. STABILITY AND REACTIVITY

<b>Chemical stability</b>	Product is stable when stored and used as directed.
<b>Conditions to avoid</b>	Elevated temperatures. Direct sunlight.
<b>Incompatible materials</b>	Oxidising agents.
<b>Hazardous decomposition products</b>	Oxides of carbon and nitrogen, smoke and other toxic fumes.
<b>Hazardous reactions</b>	No Known hazardous reactions.

### 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Material Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

<b>Eye</b>	May be an eye irritant.
<b>Inhalation</b>	Where this material is used in a poorly ventilated area, at elevated temperatures or in confined spaces, vapour may cause irritation to mucous membranes of the respiratory tract, headache and nausea.
<b>Skin</b>	Contact with skin may cause irritation. This material has been classified as a Category 1 Hazard (skin sensitiser). Repeated or prolonged skin contact may lead to allergic contact dermatitis.
<b>Ingestion</b>	No adverse effects expected. However, swallowing large amounts may cause nausea and vomiting.

**Acute Toxicity** This material has been classified as non-hazardous.

**Chronic Toxicity**

<b>Sensitisation</b>	Not Available
<b>Mutagenicity</b>	Not Available
<b>Carcinogenicity</b>	Not Available
<b>Reproductive Toxicity</b>	Not Available
<b>Specific Target Organ Toxicity (single exposure)</b>	Not Available
<b>Specific Target Organ Toxicity (repeat exposure)</b>	Not Available
<b>Aspiration Hazard</b>	Not Available
<b>Likely routes of exposure</b>	Routes of entry anticipated: Inhalation, skin and eye.

**Potential acute health effects**

<b>Inhalation</b>	No adverse effects expected.
<b>Skin contact</b>	May cause irritation.
<b>Eye contact</b>	May cause irritation.
<b>Ingestion</b>	Expected to be a low ingestion hazard.

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Inhalation</b>	No adverse symptoms.
<b>Skin contact</b>	Redness, swelling and blistering.
<b>Eye contact</b>	Irritation, watering, redness, blurred vision.
<b>Ingestion</b>	No adverse symptoms.

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Short Term Exposure**

<b>Potential immediate effects</b>	Not Available
<b>Potential delayed effects</b>	Not Available

**Long Term Exposure**

<b>Potential immediate effects</b>	Not Available
<b>Potential delayed effects</b>	Not Available
<b>Potential Chronic Health effects</b>	Not Available

## 12. ECOLOGICAL INFORMATION

<b>Toxicity</b>	Avoid contaminating stormwater drains and waterways.
<b>Acute aquatic hazard</b>	This material has been classified as non-hazardous.
<b>Long term aquatic hazard</b>	This material has been classified as non-hazardous.
<b>Ecotoxicity</b>	No information available.
<b>Persistence and degradability</b>	No information available.
<b>Bioaccumulative potential</b>	No information available.
<b>Mobility</b>	No information available.

## 13. DISPOSAL CONSIDERATIONS

<b>Waste Disposal</b>	<p>Reuse or recycle where possible. Refer to Waste Management Authority. Dispose of material through a licensed waste contractor. Normally suitable for disposal at approved land waste site.</p> <p>Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls/ personal Protection" of this MSDS.</p> <p>If possible, material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional and international regulations.</p>
-----------------------	---

## 14. TRANSPORT INFORMATION

Not classified as a dangerous good by the criteria of the ADG Code.

Drivers of trucks transporting bagged product should ensure that the pails are properly restrained.

### Road & Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

### Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

## 15. REGULATORY INFORMATION

### This material/constituent(s) is covered by the following requirements

This product is classified as hazardous according to Safe Work Australia criteria HAZARDOUS SUBSTANCE.

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

## 16. OTHER INFORMATION

### Additional Info

**RESPIRATORS:** In general, the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered, or air supplied respirators should be considered where prolonged or repeated use is necessary.

**PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:** The recommendation for protective equipment contained within this MSDS report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**HEALTH EFFECTS FROM EXPOSURE:** It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare an MSDS report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

**ABBREVIATIONS:**

MSDS – Material Safety Data Sheet

N/A – Not Applicable

pH – relates to hydrogen ion concentration – this value will relate to a scale of 0 – 14, where 0 is highly acidic and 14 is highly alkaline.

CAS# - Chemical Abstract Service Number – used to uniquely identify chemical compounds.

**Report Status**

This document has been compiled by Euromix Pty Ltd of the product and serves as the manufacturer's Material Safety Data Sheet.

While the information in this Material Safety Data Sheet has been prepared in good faith, Euromix Pty Ltd does not warrant that the information is accurate, complete, or up to date.

**Contact Point**

For further information on this product contact:

Telephone: 02 9572 9061  
Emergency: 13 11 26 (Poison Information Line Australia)  
Email: [contact@euromix.com.au](mailto:contact@euromix.com.au)  
Web site: [www.euromix.com.au](http://www.euromix.com.au)

**Advice Note**

The information in this document is believed to be accurate. Please check the currency of this MSDS by contacting:

02 9572 9061  
or  
[www.euromix.com.au](http://www.euromix.com.au)

Each user of any information, or any product referred to, in this Material Safety Data Sheet must:

- determine whether the information or product is suitable for their purpose;
- assess and control any risks associated with the information or product; and
- obtain professional advice in relation to the use of the information or product.

To the extent permitted by law, Euromix Pty Ltd:

- excludes all representations, warranties, and guarantees in relation to any information in this Material Safety Data Sheet; and
- will not be liable for any direct, indirect, consequential, incidental, special or economic loss (including but not limited to any loss of actual or anticipated profits, revenue, savings, production, business, opportunity, access to markets, goodwill, reputation, publicity, or use) arising from any use of or reliance on any information in this Material Safety Data Sheet.