

Material Safety Data Sheet

IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Euromix™ Sandstone Texture Product Name

Product Code TEXTSS

Supplier Name Euromix Pty Ltd ABN 57 664 946 070

Address 31-33 Water Street, Strathfield South. NSW 2136

Telephone 02 9572 9061

Email contact@euromix.com.au

Synonym(s) Euro Sandstone, Euromix Sandstone, Euromix Sandstone Coat.

Use(s)P For internal and external decorative, protective wall coating finish. Due to its high build most

substrate imperfections can be hidden or obscured.

HAZARD IDENTIFICATION 2.

This product is classified as hazardous according to Safe Work Australia criteria.

Pictogram - Exclamation Mark

Hazard Classification Skin Sensitisation - Category 1

SIGNAL WORD WARNING

Hazard statements

H317 May cause an allergic skin reaction.

Prevention statements

Keep out of reach of children. P102

Read label before use. P103

P261 Avoid breathing dust, fume, gas, mist, vapours or spray.

P264 Wash exposed skin thoroughly after handling.

P280 Wear eye protection/face protection.

Response statements

P302+P352 IF ON SKIN, wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs, get medical advice/attention. Specific treatment (see First Aid Measures on this MSDS) P321

P363 Wash contaminated clothing before reuse.

Storage statements

P410+P402+P404 Protect from sunlight, store in a dry place. Store in a closed container.

Disposal statements

P501 Dispose of contents/container in accordance with local, regional, national and

international regulations.

Poisons schedule Not scheduled.

COMPOSITION/INFORMATION

Product Description: Surface coating, applied by trowel, coloured viscous liquid.

Chemical Entity CAS No. **Proportion**

2-Methyl-2H-isothiazol-3-one (MIT) 2682-20-4 <0.01%

to 100%

Ingredients determined not to be hazardous

100%





Material Safety Data Sheet

4. FIRST AID MEASURES

Eye Contact If in eyes, wash out immediately with water. In all cases of eye contamination, it is a sensible

precaution to seek medical advice.

Inhalation Remove victim from area of exposure - avoid becoming a casualty. Allow patient to assume

most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical

advice if effects persist.

Skin Contact If skin contact occurs, remove contaminated clothing and wash skin with running water. If

irritation or reaction occurs, seek medical advice/assistance.

Ingestion Rinse mouth with water. If swallowed, DO NOT induce vomiting, give a glass of water to drink.

If vomiting occurs give further water. Seek medical assistance.

Symptoms and effects that may arise if the product is mishandled and overexposure occurs are:

Inhalation No adverse symptoms.

Skin contact May cause an allergic skin reaction, redness, irritation.

Eye contact May cause pain or irritation, watering, redness, swelling, blurred vision.

Ingestion No adverse symptoms.

First Aid Facilities Emergency shower, eye wash station or eye wash kit.

Notes to physician Treat symptomatically.

If poisoning occurs, contact a doctor or Poisons Information Centre: Phone (Australia) 131 126.

5. FIRE FIGHTING

Hazchem Code Not applicable.

Specific Hazards Non-combustible material.

Fire-fighting advice Non-combustible material. However, following evaporation of the water component of the

material, the residual material can burn if ignited. On burning may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of

Water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical

exposure to vapour or products of combustion.

Suitable

Extinguishing Media powder).

6. ACCIDENTAL RELEASE MEASURES

Spillage Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact. Contain - prevent run off into drains and waterways. Use

absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. If contamination of sewers or waterways has occurred advise local

emergency services.

7. HANDLING AND STORAGE

Storage Store in cool place and out of direct sunlight. Keep containers closed when not in use - check

regularly for leaks. Store away from sources of heat and/or ignition.

Handling Avoid eye contact and repeated or prolonged skin contact. Keep out of the reach of children.

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking, and smoking in contaminated areas.

Euromix Pty Ltd 31-33 Water Street, Strathfield South NSW | Issued: November 2023 – Euromix Sandstone Texture | Page 2 of 6



Material Safety Data Sheet

EXPOSURE CONTROLS/PERSONAL PROTECTION 8.

Exposure Limits No value assigned for this specific material by Safe Work Australia.

Biological Limit

Values

As per the "National Model Regulations for the Control of Workplace Hazardous

Substances (Safe Work Australia)" the ingredients in this material do not have Biological

Limit Allocated.

Engineering Control Provide adequate ventilation. If using indoors, keep windows and doors open during use.

Keep containers closed when not in use.

PPE Coveralls, Safety Shoes, Safety Glasses, Gloves.

> Wear coveralls, safety glasses and impervious gloves. Available information suggest that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Gloves should be routinely examined for wear and/or degradation. Use with adequate ventilation. If inhalation risk exists, wear organic vapour respirator meeting the requirements of AS/NZS 1715

and AS/NZS 1716. Avoid breathing dust when sanding. Wet sand or use a dust mask.

Hygiene measures Keep away from food and drink. Always wash hands before smoking, eating, drinking or using

the toilet. Wash contaminated clothing and other protective equipment before storage or reuse.







PHYSICAL AND CHEMICAL PROPERTIES 9.

Physical state: Viscous liquid Coloured Colour: Odour: Bland

Solubility: Miscible with water 1.0-1.7 @20°C Specific Gravity: Relative Vapour Density (air=1): Not Available Vapour Pressure (20 °C): Not Available Flash Point (°C): Not Applicable Flammability Limits (%): Not Applicable **Autoignition Temperature (°C):** Not Applicable % Volatile by Volume: Not Available Solubility in water (g/L): Miscible Melting Point/Range (°C): Not Available Boiling Point/Range (°C): 100 (water) **Decomposition Point (°C):** Not Available

pH: 8-10

Viscosity: Not Available **Evaporation Rate:** Not Available

STABILITY AND REACTIVITY

Chemical stability Product is stable when stored and used as directed.

Conditions to avoid Elevated temperatures. Direct sunlight.

Incompatible materials Oxidising agents.

Hazardous decomposition products Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions No Known hazardous reactions.



Material Safety Data Sheet

TOXICOLOGICAL INFORMATION 11.

No adverse health effects expected if the product is handled in accordance with this Material Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

May be an eye irritant.

Inhalation Where this material is used in a poorly ventilated area, at elevated temperatures or in confined

spaces, vapour may cause irritation to mucous membranes of the respiratory tract, headache and

nausea.

Skin Contact with skin may cause irritation. This material has been classified as a Category 1 Hazard

(skin sensitiser). Repeated or prolonged skin contact may lead to allergic contact dermatitis.

Ingestion No adverse effects expected. However, swallowing large amounts may cause nausea and

vomiting.

This material has been classified as non-hazardous. **Acute Toxicity**

Chronic Toxicity

Sensitisation Not Available Mutagenicity Not Available Carcinogenicity Not Available **Reproductive Toxicity** Not Available Specific Target Organ Toxicity (single exposure) Not Available Not Available Specific Target Organ Toxicity (repeat exposure) **Aspiration Hazard** Not Available

Likely routes of exposure Routes of entry anticipated: Inhalation, skin and eye.

Potential acute health effects

No adverse effects expected. Inhalation

Skin contact May cause irritation. Eye contact May cause irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation No adverse symptoms.

Skin contact Redness, swelling and blistering.

Eye contact Irritation, watering, redness, blurred vision.

Ingestion No adverse symptoms.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short Term Exposure

Potential immediate effects Not Available Potential delayed effects Not Available

Long Term Exposure

Potential immediate effects Not Available Potential delayed effects Not Available **Potential Chronic Health effects** Not Available



Material Safety Data Sheet

ECOLOGICAL INFORMATION 12.

Toxicity Avoid contaminating stormwater drains and waterways.

This material has been classified as non-hazardous. Acute aquatic hazard

Long term aquatic hazard This material has been classified as non-hazardous.

Ecotoxicity No information available.

Persistence and degradability No information available.

Bioaccumulative potential No information available.

No information available. **Mobility**

13. DISPOSAL CONSIDERATIONS

Waste Disposal Reuse or recycle where possible. Refer to Waste Management Authority. Dispose of material through a licensed waste contractor. Normally suitable for disposal at approved land waste site.

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls/ personal Protection" of this MSDS.

14. TRANSPORT INFORMATION

Not classified as a dangerous good by the criteria of the ADG Code.

Drivers of trucks transporting bagged product should ensure that the bags are properly

restrained.

Road & Rail **Transport**

Not classified as Dangerous Goods by the criteria of the Australian Dangerous

Goods Code (ADG Code) for transport by Road and Rail.

Not classified as Dangerous Goods by the criteria of the International Maritime Marine Transport

Dangerous Goods Code (IMDG Code).

REGULATORY INFORMATION

This material/constituent(s) is covered by the following requirements

This product is classified as hazardous according to Safe Work Australia criteria HAZARDOUS SUBSTANCE.

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Info

RESPIRATORS: In general, the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered, or air supplied respirators should be considered where prolonged or repeated use is necessary.



Material Safety Data Sheet

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES: The recommendation for protective equipment contained within this MSDS report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare an MSDS report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

ABBREVIATIONS:

MSDS - Material Safety Data Sheet

N/A - Not Applicable

pH - relates to hydrogen ion concentration - this value will relate to a scale of 0 - 14, where 0 is highly acidic and 14 is highly alkaline.

CAS# - Chemical Abstract Service Number - used to uniquely identify chemical compounds.

Report Status

This document has been compiled by Euromix Pty Ltd of the product and serves as the manufacturer's Material Safety Data Sheet.

While the information in this Material Safety Data Sheet has been prepared in good faith, Euromix Pty Ltd does not warrant that the information is accurate, complete, or up to date.

Contact Point

For further information on this product contact:

Telephone: 02 9572 9061

13 11 26 (Poison Information Line Australia) Emergency:

Email: contact@euromix.com.au Web site: www.euromix.com.au

Advice Note

The information in this document is believed to be accurate. Please check the currency of this MSDS by contacting:

02 9572 9061

www.euromix.com.au

Each user of any information, or any product referred to, in this Material Safety Data Sheet must:

- determine whether the information or product is suitable for their purpose;
- assess and control any risks associated with the information or product; and
- obtain professional advice in relation to the use of the information or product.

To the extent permitted by law, Euromix Pty Ltd:

- excludes all representations, warranties, and guarantees in relation to any information in this Material Safety Data Sheet; and
- will not be liable for any direct, indirect, consequential, incidental, special or economic loss (including but not limited to any loss of actual or anticipated profits, revenue, savings, production, business, opportunity, access to markets, goodwill, reputation, publicity, or use) arising from any use of or reliance on any information in this Material Safety Data Sheet.